



the pressure equipment safety authority

Celebrating 20 years
1995 – 2015

9410 - 20 Ave N.W.
Edmonton, Alberta, Canada T6N 0A4
Tel: (780) 437-9100 / Fax: (780) 437-7787

April 07, 2015

Attention: Susan Turner
PARKER HANNIFIN INSTRUMENTATION CANADA
4635 DURHAM ROAD S
GRIMSBY, ON

The design submission, tracking number 2014-10251, originally received on December 09, 2014 was surveyed and accepted for registration as follows:

CRN : 0C02206.2 **Accepted on:** April 07, 2015
Reg Type: Addition to Acc. Fitting **Expiry Date:** April 07, 2025
Drawing No. : B SERIES BALL AND PLUG VALVES, CATALOG 4121-BV, JULY 2014
Fitting type: BALL AND PLUG VALVES, CRN RENEWAL
Design registered in the name of : PARKER HANNIFIN

The registration is conditional on your compliance with the following notes:

This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form. This registration is valid only until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

*There are no changes to design per client letter.
Valves with material specification B283 C37700 shall not be used over 200 degree F for ASME B31.1 application. Valves with material specification B16 C36000 shall not be used over 100 degree F. Onus is on you to ensure the end users are aware of these limitations.*

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

Enclosed are stamped prints for your reference.

Sincerely,

GRYNCHUK, MILLA



the pressure equipment safety authority

STATUTORY DECLARATION
Registration of Fittings

See Attached Examples of acceptable Product marking
see attached

I, Tony Wyszowski,

General Manager

(company title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority)

of Parker Hannifin Corporation, Instrumentation Products Division

(name of manufacturer)

located at 1005 A Cleaner Way, Huntsville, AL, with add'l manufacturing at 2651 Al Hwy 21 North, Jacksonville, AL

(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

comply with the requirements of _____ which specifies the dimensions, (title of recognized North American Standard)

materials of construction, pressure/temperature ratings and identification marking of the fittings, or

are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with B31.1 as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, Det Norske Veritas as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are B Series ball valves

In support of this application, the following information, calculations and/or test data are attached:

Catalog 4121-BV, Ball and Plug Valves, Dated May 2011, ISO QA Certificate, Scop of Reegistration Renewal 0C2206.2

DECLARED before me at Huntsville in the State of Alabama

this 20th day of November, 2014
(Month) (Year)

(print) Sheri Coggan

(sign) Sheri Coggan
(A Commissioner for Oaths)

[Signature]
(Signature of Applicant)

For Office Use Only

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category C

Registration Number: 0C02206.2

M. LA GRYNCHUK

(For the Administrator/Chief Inspector of Alberta)

Date Registered: APR 07 2015

Expiry Date: 2015-04-07



Parker Engineering Manual
Parker Hannifin Corporation
Instrumentation Connectors Division

Issued 6-25-79	Section IDENTIFICATION
Revised 1-15-98	Standard No. ES-703
Ecn No. ICD97055	Page 1 OF 6

Subject:
PRODUCT LOGO MARKING REQUIREMENTS

Parker Symbol
ID-3

GENERAL:

The following information is adapted from Parker's Corporation Communications and Identification Manual.

PRODUCT IDENTIFICATION:

It is important that Parker identification appear on the millions of components sold into the market place each year. For this reason, special versions of the Corporate Signature have been designed to accommodate difficult product marking situations. The three key variables which will govern the selection of proper identification techniques are the material on which the marking is to be applied, the surface contour, and identification area size. The order of preference for product marking usage is shown. When possible, the solid Signature should be used down to a minimum of 5/8 inch. For smaller applications, the solid Open Signature, with slightly more open space within the letterforms, should be used. The Linear Signature and the Helvetica Light Parker are approved only for especially difficult marking conditions and hard material surfaces. When the marking surface, contour or area size makes it impractical to use the complete Parker identification, a "P" may be used in order of preference shown. Critical dimensions for product identification only are provided in this section.

0C02206.2



Issued 6-25-79	Section IDENTIFICATION
Revised 1-15-98	Standard No. ES-703
Ecn No. ICD97055	Page 2 OF 6

Subject:
PRODUCT LOGO MARKING REQUIREMENTS

Parker Symbol
ID-3

- 1 Primary
Corporate Signature
Minimum Size $\frac{5}{8}$ "



- 2 Small Size
Corporate Signature
Maximum Size $\frac{5}{8}$ "



- 3 Linear
Corporate Signature



- 4 Straight Type
Identification—
Helvetica Light

Parker

0C02206.2

- 5 Small Size "P"
Maximum Size $\frac{3}{16}$ "



- 6 Linear "P"



- 7 Straight Type "P"
Identification—
Helvetica Light

P