

Celebrating 20 years 1995 – 2015

April 08, 2015

Attention: Susan Turner PARKER HANNIFIN INSTRUMENTATION CANADA 4635 DURHAM ROAD S GRIMSBY, ON

The design submission, tracking number 2014-10256, originally received on December 09, 2014 was surveyed and accepted for registration as follows:

**CRN :** 0E02206.2

**Reg Type:** Addition to Acc. Fitting

Drawing No. : F SERIES, CATALOG 4135-CV, RENEWAL As Noted

Fitting type: FILTERS

Design registered in the name of : PARKER HANNIFIN

## The registration is conditional on your compliance with the following notes:

This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form. This registration is valid only until the indicated expiry date only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date. Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.

Filters with material specification B283 C37700 shall not be used over 200 degree F for ASME B31.1 application. Filters with material specification B16 C36000 shall not be used over 100 degree F. Onus is on you to ensure the end users are awared of these limitations.

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3330 or fax (780) 437-7787 or e-mail grynchuk@absa.ca.

Sincerely,

INCHUN

**GRYNCHUK, MILLA** 

Accepted on: April 08, 2015 Expiry Date: April 07, 2025



## fety authority STATUTORY DECLARATION **Registration of Fittings**

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.

See attached

I,	Tony Wyszkowski ,	
	General Manager	
(compa	ny title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority)	
of	Parker Hannifin Corporation, Instrumentation Proucts Division	
8	(name of manufacturer)	
located	d at 1005 A Cleaner Way, Huntsville, Al, with addt'l manufacturing at 2651 Al H	wy 21 North, Jacksonville, AL
	(plant address)	
do sole (check	emnly declare that the fittings listed hereunder, which are subject to the Safety Code one)	es Act
	comply with the requirements of which	specifies the dimensions,

which specifies the dimensions, comply with the requirements of (title of recognized North American Standard)

materials of construction, pressure/temperature ratings and identification marking of the fittings, or

 $\boxtimes$ are not covered by the provisions of a recognized North American standard and are therefore manufactured to

comply with B31.1 as supported by the attached data which identifies the dimensions,

materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the

as being suitable for the manufacture of these fittings to the following authority, Det Norske Veritas

stated standard. The fittings covered by this declaration, for which I seek registration, are F Series Filters

In support of this application, the following information, calculations and/or test data are attached:

Catalog 4135-CV, Check Valves Filters & Relief Valves, Dated December 2010, ISO QA Certificate

Scope or Registration Renewal 0E2206.2

DECLA	RED before me at Huntsville	_ in thestate	of Alabama
this	20 <sup>↓</sup> day of <u>November</u> (Month)	,2014	-
(print)	Sheri Coggan	-	
(sign)_	Shevi Coggan		(Signature of Applicant)
	(A Commissioner for Oaths)		7
For Off	ice Use Only		
	best of my knowledge and belief, the applic ause 4.2, and is accepted for registration in		ents of the Safety Codes Act and CSA Standard
Registra	tion Number: 0E02206	. 2 1000	A GENYNCHUR R
	ADD (1.0 2045	(	For the Administrator/Chief Inspector of Alberta)

Date Registered:

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Boiler Discipline.

Expiry Date: 2025 - 04



Parker Engineering Manual Parker Hannifin Corporation Instrumentation Connectors Division

Issued	Section	
6-25-79	IDENTIFICATION	
Revised	Standard No.	
1-15-98	ES-703	
Ecn No.	Page	
ICD97055	1 OF 6	
Parker Symbol	ID-3	

## GENERAL:

Subject:

The following information is adapted from Parker's Corporation Communications and Identification Manual.

## PRODUCT IDENTIFICATION:

PRODUCT LOGO MARKING REQUIREMENTS

It is important that Parker identification appear on the millions of components sold into the market place each year. For this reason, special versions of the Corporate Signature have been designed to accommodate difficult product marking situations. The three key variables which will govern the selection of proper identification techniques are the material on which the marking is to be applied, the surface contour, and identification area size. The order of preference for product marking usage is shown. When possible, the solid Signature should be used down to a minimum of 5/8 inch. For smaller applications, the solid Open Signature, with slightly more open space within the letterforms, should be used. The Linear Signature and the Helvetica Light Parker are approved only for especially difficult marking conditions and hard material surfaces. When the marking surface, contour or area size makes it impractical to use the complete Parker identification, a "P" may be used in order of preference shown. Critical dimensions for product identification only are provided in this section.

0E02206.2

->	Parker Engineer Parker Hannifin Corpora Instrumentation Connect	ation	Issued 6-25-79	Section IDENTIFICATION
			Revised 1-15-98	Standard No. ES-703
			Ecn No. ICD97055	Page 2 OF 6
Subject: PRODUC	CT LOGO MARKING REQUIREMENT	S	Parker Symbol	D-3
1	Primary Corporate Signature Minimum Size 5⁄8″	-Par	ker	
2	Small Size Corporate Signature Maximum Size 5/6″	Parker		
3	Linear Corporate Signature		T	
4	Straight Type Identification— Helvetica Light	Parker		
5	Small Size "P" Maximum Size ¾6″	-2	Ŀ	
6	Linear "P"	Ð	0 E 0 <b>2</b> 2	206.2
1	Straight Type ''P'' dentification— Helvetica Light	Р 		

••