

November 18, 2022

Attention: Rob McGregor
TITAN RESEARCH GROUP
1920 YONGE STREET 2ND FLOOR
TORONTO, ON M4S 3E2

The design submission, tracking number 2022-05728, originally received on October 11, 2022 was surveyed and accepted for registration as follows:

CRN : 0F08388.52 **Accepted on:** November 18, 2022
Reg Type: RENEWAL **Expiry Date:** April 11, 2032
Drawing No. : SOR-G Rev 2
Fitting type: Ashcroft Bourdon Gauges
Design registered in the name of : ASHCROFT INC

The registration is conditional on your compliance with the following notes:

As indicated on AB-41 Statutory Declaration or AB-351 Declaration of Conformity form and submitted documentation, the code of construction is ASME B31.3.

- It is our understanding that the fitting(s), included as the scope of this submission, that is(are) subject to the Safety Codes Act shall comply with the requirements of the indicated Standard or Code of Construction on the AB-41 Statutory Declaration or AB-351 Declaration of Conformity as supported by the attached data which identifies the dimensions, materials of construction, press./temp. ratings and the basis for such ratings, and the identification marking of the fittings.*
- This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration or AB-351 Declaration of Conformity form.*
- This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency, and maintains a valid Certification of Authorization Permit if required by the jurisdiction where manufacturing takes place, until that date.*
- Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.*

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3369 or fax (780) 437-7787 or e-mail Radisavljevic@absa.ca.

Sincerely,



RADISAVLJEVIC, ZANA, P. Tech. (Eng.)
DOP Cert. No. D00003136


SOR-G-REV2

Scope of Registration Summary – Ashcroft Bourdon Gauges

Gauge Products	Bourdon Gauge System	Bourdon Tube Material	Socket Material	Max. Pressure (psi)	Max. Temp. (°F)	Code of Construction	
1279, 1379, 1377, 2462, 1010, 1017, 1220, 1109, 1009, 1008AW	A	B103 C51000	B16 C36000	Up to 1,000	250	ASME B31.3	
	P, PH	B865 N05500	B164 N04400	Up to 30,000			
1279, 1379, 1377, 2462, 1010, 1017, 1220, 1259, T5400, T5500, T6500, T6500-XRA, 1020S, 1109, 1009, 1209	S	A 240 316 S31600	A240 S31600	Up to 20,000			
	R		A108 G10180	Up to 6,000			
1279, 1379, 1377, 2462, 1109	B	A519 G41300	A108 G10180	Up to 6,000			
1009, 1122	AW	A240 316 S31600	B16 C36000	Up to 1,000			
1008, 1009	S	A240 316 S31600	A240 316 S31600	Up to 15,000			
1150H, 1038, 1339	A	B103 C51000	B16 C36000	Up to 1,000			
1082				Up to 10,000			
1084	S	A 240 316 S31600	A240 S31600	Up to 60			
1127, 1128				Up to 1,200			
1259	P	B865 N05500	B164 N04400	Up to 1,500			
1125/1125A	Bronze	B103 C51000	B62 C83600	Up to 1,000			
1005M	R	A240 S31635	A108 G12144	Up to 400			150
1001	A	B103 C51000/ A240 S31600	B16 C36000/ A240 S31600	Up to 700			
1000, 1005/1005S/1005P, 2071, 1007				Up to 600			
3005				Up to 15,000			
1008, 8008				Up to 400			
12DDG, 50DDG	Beryllium Copper	B194 C17200	B453 C35300	Up to 1,200			
15DDG				Up to 300			
23DDG				Up to 441			
40DDG							

Note:

- A240 31600 has mechanical properties of 316 and chemical properties of 316L.
- 1008AW to 1000 psi maximum, using C64200 B150 socket



This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.

STATUTORY DECLARATION
Registration of Fittings
Single or Multiple Fitting Designs within one Fitting Category

I, Todd Zeigher, Quality Manager
(name of applicant) (position title) (must be in a position of authority)
of Ashcroft Inc.
(name of manufacturer)
located at 250 East Main St., Stratford, CT 06614-5145, USA
(plant address)



do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (select only one)

- comply with the requirements of _____ which specifies the dimensions, (title of recognized North American Standard) materials of construction, pressure/temperature ratings and identification marking of the fittings, or
- are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with ASME B31.3-2020 as supported by the (title of code of construction or other applicable document) attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the identification marking of the fittings.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified as described in the below Table as being suitable for the manufacturing of these fittings to the stated standard, regulation, code, guideline or other applicable document. The fittings covered by the declaration for which I seek registration are as provided in the Supplementary Sheet(s) attached.

Quality Program Verification and Manufacturing Sites

A copy of the Quality Certificate from each manufacturing site must be included

Item #	Product Description, Model or Series	Quality Program	Scope of Certification	Expiry Date	Verifying Organization	Location(s) Plant Name and address
1.	CAT F Scope of registration SOR-G-REV.2	ISO 9001:2015		31 January 2024	Lloyd's Register	250 East Main St. Stratford, CT 06614-5145, USA
2.			Design and Manufacture of Pressure and Temperature Calibration and Measurement Equipment. Distribution of Pressure and Temperature Measurement Equipment Sourced Globally.			

In support of this application, the following information, calculations and/or test data are attached:

Scope of registration SOR-G-REV.2

[Signature] (Signature of the Declarer)


23 JUN 2022 (Date)

DECLARED before me at Stratford in the State of Connecticut this 23 day of June, 2022

(print) Jeanette Bednarz (a Commissioner of Oaths or Notary Public)

(sign) [Signature] (a Commissioner of Oaths or Notary Public)

July 31, 2024 (expiry date (mm/dd/yy))



Commissioner of Oaths / Notary Public in and for: Connecticut

For ABSA Office Use Only:

NOTES:

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Part 1, Clause 4.2, and is accepted for registration in Category F

CRN: 0F08388.52

Registered Date: 2022-11-18

Expiry Date: 2032-04-11

Signature: (Signature of the Administrator/SCO)

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Pressure Equipment Discipline

2022-05728 ABSA SAFETY CODES ACT - PROVINCE OF ALBERTA ACCEPTED: 0F08388.52 See acceptance letter for conditions of registration. Date: 2022-11-18 By: Zana Radisavljevic ZANA RADISAVLJEVIC, P. Tech. (Eng. DOP: D00003136)

This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.

STATUTORY DECLARATION Registration of Fittings

Single or Multiple Fitting Designs within one Fitting Category

I, David Kirschfink, Director of Operations Europe
(name of applicant) (position title) (must be in a position of authority)
 of Ashcroft Instruments GmbH
(name of manufacturer)

located at Max-Planck-Str. 1, 52499 Baesweiler, Germany
(plant address)



do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act
 (select only one)

- comply with the requirements of _____ which specifies the dimensions,
(title of recognized North American Standard)
 materials of construction, pressure/temperature ratings and identification marking of the fittings, or
- are not covered by the provisions of a recognized North American standard and are therefore
 manufactured to comply with ASME B31.3-2020 as supported by the
(title of code of construction or other applicable document)
 attached data which identifies the dimensions, materials of construction, pressure/temperature ratings
 and the basis for such ratings, and the identification marking of the fittings.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been
 verified as described in the below Table as being suitable for the manufacturing of these fittings to the stated
 standard, regulation, code, guideline or other applicable document. The fittings covered by the declaration for
 which I seek registration are as provided in the Supplementary Sheet(s) attached.

Quality Program Verification and Manufacturing Sites

A copy of the Quality Certificate from each manufacturing site must be included

Item #	Product Description, Model or Series	Quality Program	Scope of Certification	Expiry Date	Verifying Organization	Location(s) Plant Name and address
1.	CAT F Scope of registration SOR-G-REV.2	ISO 9001:2015		2022/09/30	TÜV Rheinland	Max-Planck-Str. 1, 52499 Baesweiler, Germany
2.			Development, production and sale of pressure and			

temperature measuring
instruments including
instruments for use
in hazardous areas

In support of this application, the following information, calculations and/or test data are attached:

Scope of registration: SOR-G-REV2

David Hill
(Signature of the Declarer)

July 5th, 2022
(Date)

DECLARED before me at Scarborough in the Province of Ontario
(city) (province, territory, or state)

this 5th day of July, 2022
(Month) (Year)

(print) Danny Hua, LSO#: P17118
Ontario Paralegal & Notary Public
(a Commissioner of Oaths or Notary Public)

Declared remotely and virtually commissioned using secure electronic signatures via online video conference before me in Scarborough, ON, on the date herein, while the declarant was in Baesweiler, Germany, in accordance with O. Reg 431/20: Administer Oath or Declaration Remotely, and the Ontario Electronic Commerce Act.

(sign) *Danny Hua*
(a Commissioner of Oaths or Notary Public)



does not expire, lifetime appointment
(expiry date (mm/dd/yy))

Commissioner of Oaths / Notary Public in and for: Ontario
(province, territory, or state)

For ABSA Office Use Only:

NOTES: _____

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Part 1, Clause 4.2, and is accepted for registration in Category F.

CRN: 0F08388.52

Registered Date: 2022-11-18

Expiry Date: 2032-04-11

Signature: _____
(Signature of the Administrator/SCO)

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Pressure Equipment Discipline

2022-05728

ABSA

SAFETY CODES ACT - PROVINCE OF ALBERTA

ACCEPTED: 0F08388.52

See acceptance letter for conditions of registration.

Date: 2022-11-18 By: *Zana Radisavljevic*

ZANA RADISAVLJEVIC, P. Tech. (Eng.)
DOP: D00003136

This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.



Document History

SignNow E-Signature Audit Log

All dates expressed in MM/DD/YYYY (US)

Document name: Germany-ab-041_stat_decl_regist_of_fittings062322 853513529 David Kirschfink
Document created: 07/01/2022 08:27:31
Document pages: 3
Document ID: 9f6dbce63cba4556a97b78580979be69fe04250c
Document Sent: 07/05/2022 12:57:36 UTC
Document Status: Signed
 07/05/2022 13:04:40UTC

Sender: online@notarypro.ca
Signers: notary@notarypro.ca (NotaryPro), david.kirschfink@ashcroft.com (NotaryPro)
CC:

Client	Event	By	Server Time	Client Time	IP Address
NotaryPro	Uploaded the Document	online@notarypro.ca	07/01/2022 08:27:31 am UTC		13.71.170.133
SignNow Web Application	Viewed the Document	online@notarypro.ca	07/04/2022 20:42:27 pm UTC	07/04/2022 20:42:27 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/04/2022 20:44:50 pm UTC	07/04/2022 20:44:49 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/04/2022 20:44:50 pm UTC	07/04/2022 20:44:49 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/04/2022 20:44:50 pm UTC	07/04/2022 20:44:49 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/04/2022 20:44:50 pm UTC	07/04/2022 20:44:49 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/04/2022 20:44:50 pm UTC	07/04/2022 20:44:49 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/04/2022 20:44:50 pm UTC	07/04/2022 20:44:49 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/04/2022 20:44:50 pm UTC	07/04/2022 20:44:49 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/04/2022 20:44:50 pm UTC	07/04/2022 20:44:49 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/04/2022 20:44:50 pm UTC	07/04/2022 20:44:49 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/04/2022 20:44:50 pm UTC	07/04/2022 20:44:49 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/04/2022 20:44:50 pm UTC	07/04/2022 20:44:49 pm UTC	174.89.219.136
SignNow Web Application	Document Saved	online@notarypro.ca	07/04/2022 20:44:50 pm UTC	07/04/2022 20:44:49 pm UTC	174.89.219.136
NotaryPro	Invite Canceled for:	online@notarypro.ca	07/04/2022 20:46:00 pm UTC		13.71.170.133
SignNow Web Application	Viewed the Document	online@notarypro.ca	07/04/2022 20:46:05 pm UTC	07/04/2022 20:46:05 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/04/2022 20:46:14 pm UTC	07/04/2022 20:46:14 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/04/2022 20:46:14 pm UTC	07/04/2022 20:46:14 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/04/2022 20:46:14 pm UTC	07/04/2022 20:46:14 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/04/2022 20:46:14 pm UTC	07/04/2022 20:46:14 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/04/2022 20:46:14 pm UTC	07/04/2022 20:46:14 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/04/2022 20:46:14 pm UTC	07/04/2022 20:46:14 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/04/2022 20:46:14 pm UTC	07/04/2022 20:46:14 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/04/2022 20:46:14 pm UTC	07/04/2022 20:46:14 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/04/2022 20:46:14 pm UTC	07/04/2022 20:46:14 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/04/2022 20:46:14 pm UTC	07/04/2022 20:46:14 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/04/2022 20:46:14 pm UTC	07/04/2022 20:46:14 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/04/2022 20:46:14 pm UTC	07/04/2022 20:46:14 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/04/2022 20:46:14 pm UTC	07/04/2022 20:46:14 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/04/2022 20:46:14 pm UTC	07/04/2022 20:46:14 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/04/2022 20:46:14 pm UTC	07/04/2022 20:46:14 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/04/2022 20:46:14 pm UTC	07/04/2022 20:46:14 pm UTC	174.89.219.136
SignNow Web Application	Document Saved	online@notarypro.ca	07/04/2022 20:46:14 pm UTC	07/04/2022 20:46:14 pm UTC	174.89.219.136
SignNow Web Application	Viewed the Document	online@notarypro.ca	07/05/2022 12:56:50 pm UTC	07/05/2022 12:56:50 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/05/2022 12:57:29 pm UTC	07/05/2022 12:57:28 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/05/2022 12:57:29 pm UTC	07/05/2022 12:57:28 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/05/2022 12:57:29 pm UTC	07/05/2022 12:57:28 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/05/2022 12:57:29 pm UTC	07/05/2022 12:57:28 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/05/2022 12:57:29 pm UTC	07/05/2022 12:57:28 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/05/2022 12:57:29 pm UTC	07/05/2022 12:57:28 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/05/2022 12:57:29 pm UTC	07/05/2022 12:57:28 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/05/2022 12:57:29 pm UTC	07/05/2022 12:57:28 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/05/2022 12:57:29 pm UTC	07/05/2022 12:57:28 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/05/2022 12:57:29 pm UTC	07/05/2022 12:57:28 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/05/2022 12:57:29 pm UTC	07/05/2022 12:57:28 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	07/05/2022 12:57:29 pm UTC	07/05/2022 12:57:28 pm UTC	174.89.219.136
SignNow Web Application	Document Saved	online@notarypro.ca	07/05/2022 12:57:30 pm UTC	07/05/2022 12:57:28 pm UTC	174.89.219.136
SignNow Web Application	Viewed the Document	notary@notarypro.ca (NotaryPro)	07/05/2022 13:01:49 pm UTC	07/05/2022 13:01:48 pm UTC	174.89.219.136

SignNow Web Application	Viewed the Document	david.kirschlink@ashcroft.com (NotaryPro)	07/05/2022 13:01:52 pm UTC	07/05/2022 13:01:52 pm UTC	164.138.192.58
SignNow Web Application	Signed the Document	notary@notarypro.ca (NotaryPro)	07/05/2022 13:04:18 pm UTC	07/05/2022 13:04:17 pm UTC	174.89.219.136
SignNow Web Application	Signed the Document	notary@notarypro.ca (NotaryPro)	07/05/2022 13:04:18 pm UTC	07/05/2022 13:04:17 pm UTC	174.89.219.136
SignNow Web Application	Embedded Invite Completed (auth: None)	notary@notarypro.ca (NotaryPro)	07/05/2022 13:04:18 pm UTC	07/05/2022 13:04:17 pm UTC	174.89.219.136
SignNow Web Application	Document Saved	notary@notarypro.ca (NotaryPro)	07/05/2022 13:04:18 pm UTC	07/05/2022 13:04:17 pm UTC	174.89.219.136
SignNow Web Application	Signed the Document	david.kirschlink@ashcroft.com (NotaryPro)	07/05/2022 13:04:23 pm UTC	07/05/2022 13:04:23 pm UTC	164.138.192.58
SignNow Web Application	Embedded Invite Completed (auth: None)	david.kirschlink@ashcroft.com (NotaryPro)	07/05/2022 13:04:24 pm UTC	07/05/2022 13:04:23 pm UTC	164.138.192.58
SignNow Web Application	Document Saved	david.kirschlink@ashcroft.com (NotaryPro)	07/05/2022 13:04:24 pm UTC	07/05/2022 13:04:23 pm UTC	164.138.192.58
SignNow Web Application	Viewed the Document	notary@notarypro.ca (NotaryPro)	07/05/2022 13:04:43 pm UTC	07/05/2022 13:04:42 pm UTC	174.89.219.136

**STATUTORY DECLARATION
Registration of Fittings**

Single or Multiple Fitting Designs within one Fitting Category

I, Vince Hu, Quality Assurance Leader
(name of applicant) (position title) (must be in a position of authority)

of Ashcroft Instruments (Jiaxing) Co., Ltd

located at Building 1, 1188 Fenghua Road, Economic and Technological Development Zone, 314000 Jiaxing City, Zhejiang Province, P.R. China
(name of manufacturer) (plant address)



do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (select only one)

comply with the requirements of _____ which specifies the dimensions, materials of construction, pressure/temperature ratings and identification marking of the fittings, or
(title of recognized North American Standard)

are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with ASME B31.3-2020 as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the identification marking of the fittings.
(title of code of construction or other applicable document)

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified as described in the below Table as being suitable for the manufacturing of these fittings to the stated standard, regulation, code, guideline or other applicable document. The fittings covered by the declaration for which I seek registration are as provided in the Supplementary Sheet(s) attached.

Quality Program Verification and Manufacturing Sites

A copy of the Quality Certificate from each manufacturing site must be included

Item #	Product Description, Model or Series	Quality Program	Scope of Certification	Expiry Date	Verifying Organization	Location(s) Plant Name and address
1.	CAT F Scope of registration SOR-G-REV.2	ISO 9001:2015		2025/02/19	TUV Nord	Building 1, 1188 Fenghua Road, Economic and Technological Development Zone, 314000 Jiaxing City, Zhejiang Province, P.R.
2.			Manufacturing of Pressure Gauge (-0.1MPa~100MPa), Pressure Controller and Bimetal Thermometer			

In support of this application, the following information, calculations and/or test data are attached:

Scope of registration: SOR-G-REV2

Vince Hu (Signature of the Declarer)

10/27/2022 (Date)

DECLARED before me at City of Toronto in the Province of Ontario this 27th day of October, 2022

(print) Deanna Di Schiavi, LSO #: P07638 (a Commissioner of Oaths or Notary Public)

Veneise, Lowe-Jaisingh Ontario Paralegal, Notary Public & Commissioner Law Society of Ontario Licensee #P14782 Sworn/ Affirmed remotely/virtually before me in the city of Brampton, ON using secure electronic signatures via online video conference on the date herein while the Declarants were in the city of Jiaxing, China in accordance with Ontario Reg. 431/20.

(sign) [Signature] (a Commissioner of Oaths or Notary Public)

My commission does not expire. (expiry date (mm/dd/yy))



Commissioner of Oaths / Notary Public in and for: Province of Ontario (province, territory, or state)

For ABSA Office Use Only:

NOTES:

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Part 1, Clause 4.2, and is accepted for registration in Category F.

CRN: 0F08388.52

Registered Date: 2022-11-18

Expiry Date: 2032-04-11

Signature: (Signature of the Administrator/SCO)

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Pressure Equipment Discipline

2022-05728 ABSA SAFETY CODES ACT - PROVINCE OF ALBERTA ACCEPTED: 0F08388.52 See acceptance letter for conditions of registration. Date: 2022-11-18 By: Zana Radisavljevic ZANA RADISAVLJEVIC, P. Tech. (Eng.) DOP: D00003136

This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.



Document History

SignNow E-Signature Audit Log

All dates expressed in MM/DD/YYYY (US)

Document name: 2c. ab-041_stat_decl_regist_of_fittings(921887777 Vince Hu)
Document created: 10/27/2022 06:59:26
Document pages: 3
Document ID: 61efe8cf70194af9a8ef8a8bc7911d309a5fa7cf
Document Sent: 10/28/2022 13:05:38 UTC
Document Status: Signed
 10/28/2022 13:13:54UTC

Sender: online@notarypro.ca
Signers: notary@notarypro.ca (NotaryPro), Vince.Hu@ashcroft.com (NotaryPro)
CC:

Client	Event	By	Server Time	Client Time	IP Address
NotaryPro	Uploaded the Document	online@notarypro.ca	10/27/2022 06:59:26 am UTC		13.71.170.133
NotaryPro	Viewed the Document	online@notarypro.ca	10/27/2022 12:08:22 pm UTC	10/27/2022 12:08:20 pm UTC	142.181.94.218
NotaryPro	Added a Text	online@notarypro.ca	10/27/2022 12:11:38 pm UTC	10/27/2022 12:11:35 pm UTC	142.181.94.218
NotaryPro	Added a Text	online@notarypro.ca	10/27/2022 12:11:38 pm UTC	10/27/2022 12:11:35 pm UTC	142.181.94.218
NotaryPro	Added a Text	online@notarypro.ca	10/27/2022 12:11:38 pm UTC	10/27/2022 12:11:35 pm UTC	142.181.94.218
NotaryPro	Added a Text	online@notarypro.ca	10/27/2022 12:11:38 pm UTC	10/27/2022 12:11:35 pm UTC	142.181.94.218
NotaryPro	Added a Text	online@notarypro.ca	10/27/2022 12:11:38 pm UTC	10/27/2022 12:11:35 pm UTC	142.181.94.218
NotaryPro	Added a Text	online@notarypro.ca	10/27/2022 12:11:38 pm UTC	10/27/2022 12:11:35 pm UTC	142.181.94.218
NotaryPro	Added a Text	online@notarypro.ca	10/27/2022 12:11:38 pm UTC	10/27/2022 12:11:35 pm UTC	142.181.94.218
NotaryPro	Added a Text	online@notarypro.ca	10/27/2022 12:11:38 pm UTC	10/27/2022 12:11:35 pm UTC	142.181.94.218
NotaryPro	Added a Text	online@notarypro.ca	10/27/2022 12:11:38 pm UTC	10/27/2022 12:11:35 pm UTC	142.181.94.218
NotaryPro	Document Saved	online@notarypro.ca	10/27/2022 12:11:38 pm UTC	10/27/2022 12:11:35 pm UTC	142.181.94.218
NotaryPro	Viewed the Document	notary@notarypro.ca (NotaryPro)	10/28/2022 13:05:54 pm UTC	10/28/2022 13:05:54 pm UTC	216.58.24.128
NotaryPro	Signed the Document	notary@notarypro.ca (NotaryPro)	10/28/2022 13:07:39 pm UTC	10/28/2022 13:07:38 pm UTC	216.58.24.128
NotaryPro	Signed the Document	notary@notarypro.ca (NotaryPro)	10/28/2022 13:07:39 pm UTC	10/28/2022 13:07:38 pm UTC	216.58.24.128
NotaryPro	Added a Text	notary@notarypro.ca (NotaryPro)	10/28/2022 13:07:39 pm UTC	10/28/2022 13:07:38 pm UTC	216.58.24.128
NotaryPro	Embedded Invite Completed (auth: None)	notary@notarypro.ca (NotaryPro)	10/28/2022 13:07:39 pm UTC	10/28/2022 13:07:38 pm UTC	216.58.24.128
NotaryPro	Document Saved	notary@notarypro.ca (NotaryPro)	10/28/2022 13:07:39 pm UTC	10/28/2022 13:07:38 pm UTC	216.58.24.128
NotaryPro	Viewed the Document	notary@notarypro.ca (NotaryPro)	10/28/2022 13:10:20 pm UTC	10/28/2022 13:10:20 pm UTC	216.58.24.128
NotaryPro	Viewed the Document	Vince.Hu@ashcroft.com (NotaryPro)	10/28/2022 13:13:05 pm UTC	10/28/2022 13:13:07 pm UTC	49.93.167.57
NotaryPro	Signed the Document	Vince.Hu@ashcroft.com (NotaryPro)	10/28/2022 13:13:43 pm UTC	10/28/2022 13:13:45 pm UTC	49.93.167.57
NotaryPro	Embedded Invite Completed (auth: None)	Vince.Hu@ashcroft.com (NotaryPro)	10/28/2022 13:13:43 pm UTC	10/28/2022 13:13:45 pm UTC	49.93.167.57
NotaryPro	Document Saved	Vince.Hu@ashcroft.com (NotaryPro)	10/28/2022 13:13:43 pm UTC	10/28/2022 13:13:45 pm UTC	49.93.167.57
NotaryPro	Viewed the Document	notary@notarypro.ca (NotaryPro)	10/28/2022 13:13:56 pm UTC	10/28/2022 13:13:56 pm UTC	216.58.24.128
NotaryPro	Document Downloaded	notary@notarypro.ca (NotaryPro)	10/28/2022 13:14:53 pm UTC	10/28/2022 13:14:51 pm UTC	216.58.24.128

**STATUTORY DECLARATION
Registration of Fittings**

Single or Multiple Fitting Designs within one Fitting Category

I, Martin Ramirez, Quality Manager
(name of applicant) (position title) (must be in a position of authority)
of ASHCROFT QUERÉTARO, S. DE R.L. DE C.V.
(name of manufacturer)



located at Carr. 500 a Chichimequillas KM 5+500, Calle 1 #50, Parque Industrial Puerta Querétaro, 76240 El Marques, Mexico
(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (select only one)

comply with the requirements of _____ which specifies the dimensions,
(title of recognized North American Standard)

materials of construction, pressure/temperature ratings and identification marking of the fittings, or

are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with ASME B31.3 - 2020 as supported by the
(title of code of construction or other applicable document)

attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the identification marking of the fittings.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified as described in the below Table as being suitable for the manufacturing of these fittings to the stated standard, regulation, code, guideline or other applicable document. The fittings covered by the declaration for which I seek registration are as provided in the Supplementary Sheet(s) attached.

Quality Program Verification and Manufacturing Sites

A copy of the Quality Certificate from each manufacturing site must be included

Item #	Product Description, Model or Series	Quality Program	Scope of Certification	Expiry Date	Verifying Organization	Location(s) Plant Name and address
1.	CAT F Scope of registration: SOR-G-REV2	ISO 9001:2015	Assembly of Pressure and Temperature Measuring Equipment	30 August 2024	Lloyd's Register	Carr. 500 a Chichimequillas KM 5+500, Calle 1 #50, Parque Industrial Puerta Querétaro, 76240 El Marques, Mexico
2.						

In support of this application, the following information, calculations and/or test data are attached:

Scope of registration: SOR-G-REV2



(Signature of the Declarer)

June 30th, 2022

(Date)

DECLARED before me at Scarborough in the Province of Ontario
(city) (province, territory, or state)

this 30th day of June, 2022
(Month) (Year)

(print) Danny Hua
(a Commissioner of Oaths or Notary Public)

Declared remotely and virtually commissioned using secure electronic signatures via online video conference before me in Scarborough, ON, on this 30th day of June 2022, while the declarant was in El Marques, México, in accordance with O. Reg 431/20, Administer Oath or Declaration Remotely, and the Ontario Electronic Commerce Act.

(sign) 
(a Commissioner of Oaths or Notary Public)

does not expire, lifetime appointment

(expiry date (mm/dd/yy))



Danny Hua, LSO#: P17118
Ontario Paralegal & Notary Public

Commissioner of Oaths / Notary Public in and for: Ontario
(province, territory, or state)

For ABSA Office Use Only:

NOTES: _____

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Part 1, Clause 4.2, and is accepted for registration in Category F.

CRN: 0F08388.52

Registered Date: 2022-11-18

Expiry Date: 2032-04-11

Signature: _____
(Signature of the Administrator/SCO)

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Pressure Equipment Discipline


2022-05728

ABSA

SAFETY CODES ACT - PROVINCE OF ALBERTA

ACCEPTED: 0F08388.52

See acceptance letter for conditions of registration.

Date: 2022-11-18 By: 

ZANA RADISAVLJEVIC, P. Tech. (Eng.)
DOP: D00003136

This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.



Document History

SignNow E-Signature Audit Log

All dates expressed in MM/DD/YYYY (US)

Document name: ab-041_stat_decl_regist_of_fittings062322 852953693 Martin Ramirez
Document created: 06/30/2022 13:35:16
Document pages: 3
Document ID: 1e5e16ec074e4f8eae13b023acdc5bf278eb0b07
Document Sent: 06/30/2022 18:00:04 UTC
Document Status: Signed
 06/30/2022 19:19:17UTC

Sender: online@notarypro.ca
Signers: notary@notarypro.ca (NotaryPro), mramirez@ashcroft.com.mx (NotaryPro)
CC:

Client	Event	By	Server Time	Client Time	IP Address
NotaryPro	Uploaded the Document	online@notarypro.ca	06/30/2022 13:35:16 pm UTC		13.71.170.133
SignNow Web Application	Viewed the Document	online@notarypro.ca	06/30/2022 17:17:38 pm UTC	06/30/2022 17:17:37 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	06/30/2022 17:20:32 pm UTC	06/30/2022 17:20:32 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	06/30/2022 17:20:32 pm UTC	06/30/2022 17:20:32 pm UTC	174.89.219.136
SignNow Web Application	Document Saved	online@notarypro.ca	06/30/2022 17:20:32 pm UTC	06/30/2022 17:20:32 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	06/30/2022 17:20:32 pm UTC	06/30/2022 17:20:32 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	06/30/2022 17:20:32 pm UTC	06/30/2022 17:20:32 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	06/30/2022 17:20:32 pm UTC	06/30/2022 17:20:32 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	06/30/2022 17:20:32 pm UTC	06/30/2022 17:20:32 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	06/30/2022 17:20:32 pm UTC	06/30/2022 17:20:32 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	06/30/2022 17:20:32 pm UTC	06/30/2022 17:20:32 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	06/30/2022 17:20:32 pm UTC	06/30/2022 17:20:32 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	06/30/2022 17:20:32 pm UTC	06/30/2022 17:20:32 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	06/30/2022 17:20:32 pm UTC	06/30/2022 17:20:32 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	06/30/2022 17:20:32 pm UTC	06/30/2022 17:20:32 pm UTC	174.89.219.136
SignNow Web Application	Added a Text	online@notarypro.ca	06/30/2022 17:20:32 pm UTC	06/30/2022 17:20:32 pm UTC	174.89.219.136
SignNow Web Application	Viewed the Document	notary@notarypro.ca (NotaryPro)	06/30/2022 19:15:43 pm UTC	06/30/2022 19:15:42 pm UTC	174.89.219.136
SignNow Web Application	Viewed the Document	notary@notarypro.ca (NotaryPro)	06/30/2022 19:16:57 pm UTC	06/30/2022 19:16:56 pm UTC	174.89.219.136
SignNow Web Application	Viewed the Document	mramirez@ashcroft.com.mx (NotaryPro)	06/30/2022 19:17:23 pm UTC	06/30/2022 19:17:23 pm UTC	38.65.137.130
SignNow Web Application	Signed the Document	notary@notarypro.ca (NotaryPro)	06/30/2022 19:18:23 pm UTC	06/30/2022 19:18:23 pm UTC	174.89.219.136
SignNow Web Application	Signed the Document	notary@notarypro.ca (NotaryPro)	06/30/2022 19:18:23 pm UTC	06/30/2022 19:18:23 pm UTC	174.89.219.136
SignNow Web Application	Embedded Invite Completed (auth: None)	notary@notarypro.ca (NotaryPro)	06/30/2022 19:18:23 pm UTC	06/30/2022 19:18:23 pm UTC	174.89.219.136
SignNow Web Application	Document Saved	notary@notarypro.ca (NotaryPro)	06/30/2022 19:18:23 pm UTC	06/30/2022 19:18:23 pm UTC	174.89.219.136
SignNow Web Application	Viewed the Document	notary@notarypro.ca (NotaryPro)	06/30/2022 19:18:42 pm UTC	06/30/2022 19:18:41 pm UTC	174.89.219.136
SignNow Web Application	Signed the Document	mramirez@ashcroft.com.mx (NotaryPro)	06/30/2022 19:19:01 pm UTC	06/30/2022 19:19:00 pm UTC	38.65.137.130
SignNow Web Application	Embedded Invite Completed (auth: None)	mramirez@ashcroft.com.mx (NotaryPro)	06/30/2022 19:19:01 pm UTC	06/30/2022 19:19:00 pm UTC	38.65.137.130
SignNow Web Application	Document Saved	mramirez@ashcroft.com.mx (NotaryPro)	06/30/2022 19:19:01 pm UTC	06/30/2022 19:19:00 pm UTC	38.65.137.130
SignNow Web Application	Viewed the Document	notary@notarypro.ca (NotaryPro)	06/30/2022 19:19:20 pm UTC	06/30/2022 19:19:19 pm UTC	174.89.219.136
SignNow Web Application	Viewed the Document	mramirez@ashcroft.com.mx (NotaryPro)	06/30/2022 19:19:24 pm UTC	06/30/2022 19:19:24 pm UTC	38.65.137.130
SignNow Web Application	Document Downloaded	mramirez@ashcroft.com.mx (NotaryPro)	06/30/2022 19:19:48 pm UTC	06/30/2022 19:19:45 pm UTC	38.65.137.130

**STATUTORY DECLARATION
Registration of Fittings**
Single or Multiple Fitting Designs within one Fitting Category

I, Sergio Luis Capassi, Engineering and Quality Manager
(name of applicant) (position title) (must be in a position of authority)
of WILLY INSTRUMENTOS DE MEDICAO E CONTROLE LTDA.
(name of manufacturer)

located at Rua João Pessoa, 620 - Santa Paula - 09520-000 - São Caetano do Sul/SP Brasil
(plant address)



do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (select only one)

- comply with the requirements of _____ which specifies the dimensions, (title of recognized North American Standard) materials of construction, pressure/temperature ratings and identification marking of the fittings, or
- are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with ASME B31.3-2020; ASME B40.100 as supported by the (title of code of construction or other applicable document) attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the identification marking of the fittings.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified as described in the below Table as being suitable for the manufacturing of these fittings to the stated standard, regulation, code, guideline or other applicable document. The fittings covered by the declaration for which I seek registration are as provided in the Supplementary Sheet(s) attached.

Quality Program Verification and Manufacturing Sites

A copy of the Quality Certificate from each manufacturing site must be included

Item #	Product Description, Model or Series	Quality Program	Scope of Certification	Expiry Date	Verifying Organization	Location(s) Plant Name and address
1.	CAT F Scope of registration SOR-G-REV.2	ISO 9001:2015		04/09/2023	Bureau Veritas	
2.			DESIGN, MANUFACTURE, COMMERCIALIZATION AND SERVICING OF PRESSURE GAUGES, THERMOMETERS, PRESSURE SWITCHES, TEMPERATURE SWITCHES, PRESSURE TRANSMITTERS,			Rua João Pessoa, 620 - Santa Paula - 09520-000 - São Caetano do Sul/SP Brasil

TEMPERATURE TRANSMITTERS,
TEST EQUIPMENT FOR
PRESSURE AND TEMPERATURE
AND ACCESSORIES FOR ALL THESE INSTRUMENTS

In support of this application, the following information, calculations and/or test data are attached:

Scope of registration SOR-G-REV.2

 (Signature of the Declarer)  6-24-2022 (Date)

DECLARED before me at _____ in the _____ of _____
(city) (province, territory, or state)
this _____ day of _____,
(Month) (Year)

(print) _____
(a Commissioner of Oaths or Notary Public)

(sign) _____
(a Commissioner of Oaths or Notary Public)

(expiry date (mm/dd/yy))

Commissioner of Oaths / Notary Public in and for: _____
(province, territory, or state)

For ABSA Office Use Only:

NOTES: _____

<p>To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Part 1, Clause 4.2, and is accepted for registration in Category <u>F</u>.</p> <p>CRN: <u>0F08388.52</u></p> <p>Registered Date: <u>2022-11-18</u></p> <p>Expiry Date: <u>2032-04-11</u></p> <p>Signature: _____ (Signature of the Administrator/SCO)</p> <p>The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Pressure Equipment Discipline</p>	<p>2022-05728</p> <p>ABSA</p> <p>SAFETY CODES ACT - PROVINCE OF ALBERTA</p> <p>ACCEPTED: 0F08388.52</p> <p>See acceptance letter for conditions of registration.</p> <p>Date: 2022-11-18 By: <i>Zana Radisavljevic</i> ZANA RADISAVLJEVIC, P. Tech. (Eng.) DOP: D00003136</p> <p>This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.</p>
--	---


Tabellão de Notas e de Protesto de Letras e Títulos de São Caetano do Sul - SP
 Rua Baraldi, 997 - Centro - São Caetano do Sul - SP - Cep: 09510-010 - Fones: (11) 4221-3191 / 4221-3195 - Fax: (11) 4225-1262

Reconheço por SEMELHANÇA em doc. SEM valor econômico a(s) firma(s):
 SERGIO LUIS CAPASSI(36581), Dou fé.
 São Caetano do Sul - SP, 24/06/2022. Em test°  da verdade.
 ANDREA GARGALACI FOCOSI

Valor UN.:RS7,57 - Total:RS7,57 - Cod.Seg.: 5052485450485050495052555149.

12:47:32 ** VÁLIDO SOMENTE COM O SELO DE AUTENTICIDADE **

AA462930

Para produzir efeito no Brasil e para valer
 contra terceiros, o presente, deverá ser
 vertido em vernáculo (N. de Serviços de
 C.G.J cap. XIV - 671).



 Colégio Notarial
 do Brasil
 Seção São Paulo

111948

FIRMA

S10968AA0533066

